

U-MANITY 28/35/60

NO WAX+

Achieves both a high level of security and functionality with its low-gloss, high-quality texture and foam layer

floor
score

TC0308167
JIS A 5705

Made with
Recycled Vinyl

Low VOCs

No Wax

Shock
Absorption

Factory-based
Recycling

Antibacterial

Heavy Foot
Traffic

Thickness 2.8mm

Price (material price)	5,300 JPY/m ² 9,646 JPY/m
Material Classification	Foam-backed Multilayer Sheet Vinyl Flooring HS
Dimensions	2.8mm (thickness) × 1,820mm (width) × 9m (length)

Build-to-Order Thickness 3.5mm

Price (material price)	6,600 JPY/m ² 12,012 JPY/m
Material Classification	Foam-backed Multilayer Sheet Vinyl Flooring HS
Dimensions	3.5mm (thickness) × 1,820mm (width) × 9m (length)
Minimum Order Quantity	45m per color
Production lead time	Three weeks

Build-to-Order Thickness 6.0mm

Price (material price)	7,700 JPY/m ² 14,014 JPY/m
Material Classification	Foam-backed Multilayer Sheet Vinyl Flooring HS
Dimensions	6.0mm (thickness) × 1,820mm (width) × 9m (length)
Minimum Order Quantity	45m per color
Production lead time	Three weeks


Material/Color	Packing	Weight
Wood Series, Linoleum Pattern, Fabric Pattern	9m/roll	48.8kg/roll (2.8mm)
		53.9kg/roll (3.5mm)
		70.4kg/roll (6.0mm)
Sand	9m/roll	51.0kg/roll (2.8mm)
		60.9kg/roll (3.5mm)
		73.0kg/roll (6.0mm)
Classic Marble	9m/roll	47.7kg/roll (2.8mm)
		53.0kg/roll (3.5mm)
		72.0kg/roll (6.0mm)
Color	9m/roll	54.0kg/roll (2.8mm)
		63.9kg/roll (3.5mm)
		75.1kg/roll (6.0mm)
Rattan	9m/roll	47.6kg/roll (2.8mm)
		51.6kg/roll (3.5mm)
		74.0kg/roll (6.0mm)




Wood pattern

Installation Method	Subfloor	Adhesive
Basic Installation	Cement Mortar Concrete	Cement AK-S/ Cement AK
Water resistant Installation		Cement U/ Cement EP20


Oak




AC-3005 28/35/60
Oak



AC-3019 28/35/60
Oak




AC-3007 28/35/60
Oak



AC-3020 28/35/60
Oak

Walnut




AC-3043 28/35/60
Walnut


Elm



AC-3075 28/35/60
Elm



AC-3040 28/35/60
Walnut




AC-3076 28/35/60
Elm

Maple



AC-3025 28/35/60
Maple



AC-3036 28/35/60
Cherry



AC-3026 28/35/60
Maple



AC-3037 28/35/60
Cherry


Notes

- Please weld the seams together with designated welding rod.
- Seams can also be joined using Seam Sealer S.
- Please connect both ends of the sheets together when performing connecting work.
- Pattern matching is not possible due to the manufacturing process.
- Adhesive for water resistant installation is recommended in case it is assumed to carry heavy things on the floor.
- Page 292-295 Adhesive instruction shows which adhesive is recommendable for each environment and conditions.
- Normal flooring wax will diminish antibacterial performance. Please use an Antibacterial type wax.

Beech




AC-3086 28/35/60
Beech



AC-3087 28/35/60
Beech

Bamboo



AC-3080 28/35/60
Bamboo

Cork



AC-3081 28/35/60
Cork

U-MANITY 35: AC- * * * * 35
Build-to-Order Product (Requires three weeks for production lead time. Must order at least 45m of one color)

U-MANITY 60: AC- * * * * 60
Build-to-Order Product (Requires three weeks for production lead time. Must order at least 45m of one color)
(Enter the color number in the location marked by " * * * * ".)

* Pattern matching is not possible due to the manufacturing process.


* Photos show overall pattern. Cannot be made into tiles.



Walnut AC-3040



Sheet Size/Cross Section

Sheet Size





Cross Section


Wood Series, Linoleum Pattern, Fabric Pattern




Classic Marble




Rattan




Cherry/AC-3036



Beech/AC-3086




Elm/AC-3075



Bamboo/AC-3080



Cork/AC-3081





Product Color Numbers [Wood Series]

AC-3005 28/35/60 1	AC-3026 28/35/60 6	AC-3075 28/35/60 9	AC-3087 28/35/60 14
AC-3007 28/35/60 2	AC-3036 28/35/60 11	AC-3076 28/35/60 10	
AC-3019 28/35/60 7	AC-3037 28/35/60 12	AC-3080 28/35/60 15	
AC-3020 28/35/60 8	AC-3040 28/35/60 4	AC-3081 28/35/60 16	
AC-3025 28/35/60 5	AC-3043 28/35/60 3	AC-3086 28/35/60 13	

U-MANITY 28/35/60

NO WAX



Linoleum Pattern



AC-3200 28/35/60 1



AC-3214 28/35/60 6



AC-3215 28/35/60 10



AC-3222 28/35/60 14



AC-3201 28/35/60 2



AC-3211 28/35/60 7



AC-3216 28/35/60 11



AC-3223 28/35/60 15



AC-3202 28/35/60 3



AC-3212 28/35/60 8



AC-3217 28/35/60 12




AC-3231 28/35/60 16




AC-3203 28/35/60 4



AC-3213 28/35/60 9



AC-3218 28/35/60 13



AC-3232 28/35/60 17



AC-3204 28/35/60 5



Linoleum Pattern

Linoleum Pattern/AC-3214



AC-3201, 3231, 3232, 3233, 3239

Product Color Numbers [Linoleum Pattern, Fabric Pattern]

AC-3200 28/35/60 1
AC-3201 28/35/60 2
AC-3202 28/35/60 3
AC-3203 28/35/60 4
AC-3204 28/35/60 5

AC-3211 28/35/60 7
AC-3212 28/35/60 8
AC-3213 28/35/60 9
AC-3214 28/35/60 6
AC-3215 28/35/60 10

AC-3216 28/35/60 11
AC-3217 28/35/60 12
AC-3218 28/35/60 13
AC-3222 28/35/60 14
AC-3223 28/35/60 15

AC-3226 28/35/60 18
AC-3227 28/35/60 19
AC-3228 28/35/60 22
AC-3229 28/35/60 23
AC-3231 28/35/60 16

AC-3232 28/35/60 17
AC-3233 28/35/60 20
AC-3234 28/35/60 21
AC-3238 28/35/60 24
AC-3239 28/35/60 25

AC-3251 28/35/60 26
AC-3252 28/35/60 27
AC-3253 28/35/60 28
AC-3256 28/35/60 29
AC-3257 28/35/60 30

AC-3258 28/35/60 31

Fabric Pattern



AC-3226 28/35/60 18



AC-3228 28/35/60 22



AC-3251 28/35/60 26



AC-3256 28/35/60 29



AC-3227 28/35/60 19



AC-3229 28/35/60 23



AC-3252 28/35/60 27




AC-3257 28/35/60 30




AC-3233 28/35/60 20



AC-3238 28/35/60 24



AC-3253 28/35/60 28



AC-3258 28/35/60 31



AC-3234 28/35/60 21



AC-3239 28/35/60 25

U-MANITY 35: AC- * * * * 35
Build-to-Order Product (Requires three weeks for production lead time. Must order at least 45m of one color)

U-MANITY 60: AC- * * * * 60
Build-to-Order Product (Requires three weeks for production lead time. Must order at least 45m of one color)
(Enter the color number in the location marked by " * * * * ")

* Pattern matching is not possible due to the manufacturing process.
* Photos show overall pattern. Cannot be made into tiles.



Fabric Pattern

Fabric Pattern/AC-3256



AC-3257

U-MANITY 28/35/60

NO WAX



Made with Recycled Vinyl
Factory-based Recycling


Low VOCs

No Wax

Shock Absorption
Heavy Foot Traffic

Antibacterial

Sand



AC-8007 28/35/60



AC-8001 28/35/60



AC-8004 28/35/60



AC-8008 28/35/60




AC-8002 28/35/60




AC-8005 28/35/60



AC-8009 28/35/60



AC-8003 28/35/60



AC-8006 28/35/60



Sand



AC-8004, 3231, 3233, 3239 (Linoleum Pattern)

Color



AC-2001 28/35/60



AC-2004 28/35/60



AC-2002 28/35/60



AC-2005 28/35/60



AC-2003 28/35/60



AC-2006 28/35/60



Color

U-MANITY 35: AC- * * * * 35
Build-to-Order Product (Requires three weeks for production lead time.
Must order at least 45m of one color)

U-MANITY 60: AC- * * * * 60
Build-to-Order Product (Requires three weeks for production lead time.
Must order at least 45m of one color)
(Enter the color number in the location marked by " * * * * ".)



AC-2002, 2004, 2005