

tile

Style Book

MORTALIKE
TERAHNO
TERAHNO HEXA
WOOD CRAFT
MONOSTEIN
DENIM FLOOR KT
DOLCE
NEW SOFTON
NATULINE

COMPOSITION TILE
COLLECTION



Simple thus Comfortable

Tajima manufactured the first Vinyl Composition Tile (VCT) product in Japan, using and developed PVC resin.

After we released our flag ship product "P-TILE", we have been producing those products as user-friendly and familiar products, supporting people's life as a flooring material manufacturer.

We incorporate motif found in natuer such as stone, brick, tree, even denim into the cosy texture of limestone as the main raw material, aiming to create the comfortable space and atomosphere, which is correspond to today's trend.

We will continue to evolve the products into the ones which are timeless and suitable for various buildings.

Limestone to Tile

Index

Design Texture & Color	02	MORTALIKE	14	Pattern and color tone index	44
Design Concept	04	TERAHNO	18	VINYL COMPOSITION TILE Size Line-Up	48
Design The Space #1-3	08	TERAHNO HEXA	22		
		WOOD CRAFT	26		
		MONOSTEIN	30		
		DENIM FLOOR KT	34		
		DOLCE	36		
		NEW SOFTON	40		
		NATULINE	42		

Design

Texture & Color

Various expressions created through blending materials and colors.

Japan Made since 1953



Natural Colors / Real Texture / High Durability



Main raw material of our VCT is the high-quality highly white calcium carbonate with less impure material, which are mined in Shintakine Mine in Fukushima prefecture.

Fukushima
Material



Saitama
Factory

The combination of the finely crushed raw material and the pigment proportioned by our craftsman's fine skills create the simple texture and the unique expressive pattern.

Design Concept 01

MATERIAL-TILE

Tiles with expressive texture, designed with motif of mortar, natural stone, stone pavement, wood, denim etc.

MORTALIKE

TERAHNO

TERAHNO HEXA

WOOD CRAFT

MONOSTEIN

DENIM FLOOR KT

COLOR-TILE

Nature-derived colors-

Random color combination through kneading manufacturing process reproduce color transition in the nature and expressive color texture.

DOLCE

NEW SOFTON

NATULINE



Design The Space

Architect Interview #1



Vinyl Composition Tile



DENIM FLOOR KT



Heterogeneous Vinly Tile
DENIM FLOOR FT



#1



Azuma Tachibana Junior High School

Tokyo / Sumida Ward

A creative space that encourage to pursue authenticity.



**A school that opens up new possibilities
in unison with the town.**

Designer/Director Toru Nomura from RUI SEKKEISHITSU Co.,Ltd.

Sumida Ward has been home to advanced craftsmanship and the spirit of uncompromising craftsmanship since the Edo period (1603-1868), thus it is widely known as a "craftsmanship town". Based on such local character, we wanted to create an open-minded learning environment where student's creativity and curiosity can be brought up, their thought and feeling can be closely shared with the adult around them. Therefore, we created open common-use zones such as "Everyone's Corridor" and a new-generation learning space to facilitate active communication not only among

students, but also among teachers, staffs, and local residents. The first floor, in particular, is inspired by the concept of "Craftsmanship" and is designed as a workshop-like space. The "Everyone's Corridor", as well as the technical and art class rooms, feature denim-like flooring that is reminiscent of work clothes. The natural texture of the denim-like flooring will continue even after it gets dirty, allowing the students to spend their time freely and spontaneously, and we believe that lead to more discoveries and having more emotionally moving experiences.



Toru Nomura

Born in Aichi Prefecture in 1964. Graduated from Kyoto Institute of Technology, Faculty of Crafts, Department of Housing and Environment. Currently Design Department Director in Tokyo office. At the RUI SEKKEISHITSU Co., Ltd., we pursue "learning in the future" by vividly grasping the current trends in education and children's awareness and the realities of the educational field.

Architect Interview #2



#2



Koto Rehabilitation Hospital
Tokyo / Koto Ward

Rehabilitation Hospital
Focusing on the recovery phase of patients

**Spatial design created by color expressions and textures.
Making the space easier to use through color variation.**

Qualified Architects Kenji Taira / Ryotaro Taira TAIRA ARCHITECTS OFFICE LTD.

What is the best facility for patients who want to return to their society as soon as possible? In designing this facility, we kept in mind the viewpoints and feelings of patients who are actually hospitalized and undergoing rehabilitation on a daily basis. In order to materialize that concept, we considered the entire building should be a space for rehabilitation, and designed an environment that encourages the patients' independence in various areas. The design of the flooring is

also carefully considered, combining straight and curved areas to create variation within the building. In terms of color, warm-colored floors are alternated with cool-colored floors, with light tones in the straight areas and deep tones in the curved areas. By visually dividing the entire space, including the floors where the floor tiles are installed, we believe the whole space is easy to recognize and use, not only for patients and hospital staff, but also for visitors.



Kenji Taira


After working at KUMAHIRA ARCHITECTURAL DESIGN FIRM and TOYO SEKKEI CO., LTD, founded TAIRA ARCHITECTS OFFICE LTD.

Ryotaro Taira

Graduated from the Department of Architecture, Faculty of Science and Technology, Nihon University, in 2010. Joined TAIRA ARCHITECTS OFFICE LTD in 2011.




Vinyl Composition Tile



a, b, TERAHNO

c, MONOSTEIN



Heterogeneous Vinly Tile
e, MATIL f, WOODLINE



Architect Interview #3



#3



Minamisoma Solar Agri Park Center House
Fukushima / Minamisoma City
Interaction base familiar with local community

Flooring materials with a high design quality and texture of the material itself, for a communication place where various people gather through recovery from the earthquake.

Interior Design/Art Director Shoji Maeda Espace-rive gauche

Minamisoma Solar Agri Park is a facility built on farmland damaged by the tsunami following the Great East Japan Earthquake. Aiming to be a symbol of the recovering area, the interior is designed with the concept of "gathering, sitting around, and relaxing" as a place of interaction where many people, not only local residents but also from outside the prefecture and overseas, come to experience agriculture and for agricultural training. The space is designed to be a place for communication where everyone can feel at home and truly relax, with a

veranda-style staircase classroom where people can take off their shoes and sit or lie down, an open hearth made of Oya stone, and a café space. For the flooring, a mortar-like floor "MORTALIKE" is chosen for seeking a neutral taste which well-suits with the texture of each fabricated element. And its color and matte appearance are wonderful and we believe we have achieved to materialize our image into the reality. WOODLINE also has a high grade wood pattern appearance that contributes to the stylish atmosphere of the laboratory.



Shoji Maeda
Founded espace-rive gauche in 2010.
Actively designs mainly exhibition design/ Interior design.



Vinyl Composition Tile



MORTALIKE



Heterogeneous Vinly Tile
WOODLINE



647-702 (MORTALIKE) , DMH-201 (DENIM FLOOR FT)



647-702(MORTALIKE)





647-706 (MORTALIKE) , WBH-623 (WOODLINE)

MORTALIKE

Matte and stylish mortal texture

Texture



a : MORTALIKE 647-702
b : DENIM FLOOR DMH-201

Combination with heterogeneous vinyl floor tile (DENIM FLOOR 3.0mmt)

a : MORTALIKE 647-706
b : WOODLINE WBH-623

Combination with heterogeneous vinyl floor tile (WOODLINE 3.0mmt)



RACINES FARM TO PARK

647-704 (MORTALIKE)



647-704 (MORTALIKE)



647-701 (MORTALIKE)

Gloss Comparison



A matte type wax is recommended for the material design characteristics for low gloss appearance.

■ Stains and scratches may be more noticeable than the other products with UV curing resin coating on their surface, since the expression of mortar is emphasized in this product. Please perform periodic maintenance appropriate to the area in which the product is installed.

Color : 4 colors
Beveling : No beveling
Dimensions : E size 3.00mmt × 457.2mm × 457.2mm

E size


457.2
×
457.2




TN-107 / 109 / 110 / 115 / 118 (TERAHNO)

TERAHNO

Expressing a stone paved texture with delicate gradation.
Available in a wide range of sizes.



Texture



TERAHNO
(5 colors random layout with same ratio)

- a : TN-107 (20%)
- b : TN-109 (20%)
- c : TN-110 (20%)
- d : TN-115 (20%)
- e : TN-118 (20%)



TN-102 / 104 / 111 / 115 (TERAHNO)




TNT-105、TNQ-102 / 104 / 111 (TERAHNO)




TNR-102 / 103 / 104 / 105 (TERAHNO)、613-316 / 334 / 353 (NEW SOFTON)




TN-107 / 109 / 110 / 115 / 118 (TERAHNO)



TERAHNO
(4 colors random layout with same ratio)
a : TN-102 (25%)
b : TN-104 (25%)
c : TN-111 (25%)
d : TN-115 (25%)




TERAHNO
(Repeat pattern layout)
a : TNT-105
b : TNQ-102
c : TNQ-104
d : TNQ-111



TERAHNO
(4 colors random layout with same ratio)
a : TNR-102 (25%)
b : TNR-103 (25%)
c : TNR-104 (25%)
d : TNR-105 (25%)

Color : 16 colors
Beveling : Round beveling
Dimensions : Standard Inventory
S size 3.00mmt × 304.8mm × 457.2mm
Q size 3.00mmt × 152.4mm × 457.2mm
Build-to-order
R size 3.00mmt × 304.8mm × 914.4mm
T size 3.00mmt × 457.2mm × 914.4mm



Build-to-order : R size, T size
Production lead time : 3 weeks
Minimum Order Quantity : 30 cases
Product code : S size TN-□□□ / Q size TNQ-□□□
R size TNR-□□□ / T size TNT-□□□



TNX-102 / 104 / 113 / 118 (TERAHNO HEXA)




TNX-102 / 104 / 110 / 113 / 114 (TERAHNO HEXA)




TNX-104 / 116 / 117 / 118 (TERAHNO HEXA)

TERAHNO HEXA


An impressive hexagonal tile type derived from TERAHNO




Texture





TERAHNO HEXA
(3 colors of a,b,c random layout with same ratio)
a : TNX-102 (33.3%)
b : TNX-104 (33.3%)
c : TNX-113 (33.3%)
d : TNX-118



TERAHNO HEXA
(5 colors random layout)
a : TNX-102 (21%)
b : TNX-104 (21%)
c : TNX-110 (21%)
d : TNX-113 (21%)
e : TNX-114 (16%)



TERAHNO HEXA
a : TNX-104
b : TNX-116 (Build-to-order)
c : TNX-117
d : TNX-118





Colors : Standard Color 8 colors
 TNX-102, 104, 106, 110, 113, 114, 117, 118
 Build-to-order 8 colors
 TNX-103, 105, 107, 109, 111, 112, 115, 116

Beveling : Round beveling

Dimensions : 3.0mmt x 130mm (each side) regular hexagonal shape

* The colors and patterns of this product are the same as TERAHNO.





648-807 / 648-808 / 648-810 / 648-811 (WOODCRAFT)

WOOD CRAFT

Vinyl composition tile that expresses different pattern and color shade, like natural wood's variety and difference of each piece.

648-801	648-804	648-807	648-810
648-802	648-805	648-808	648-811
648-803	648-806	648-809	648-812
Natural H size / Flat surface			648-813

644-205	644-207	644-208
---------	---------	---------

Vintage H size / Line emboss

631-124	631-122	631-130
631-103 E (632-103)	631-107 E (632-107)	631-131 E (632-131)
631-104	631-108	631-132 E (632-132)
631-105 E (632-105)	631-109 E (632-109)	
631-106	631-110	

Classic A size / Line emboss


E (632-□□□□) : Build-to-order(E size)

Texture



Flat Surface

Line Emboss
(Grain Woody Texture)




WOODCRAFT

(4 colors random layout)

- a : 648-807 (30%)
- b : 648-808 (30%)
- c : 648-810 (30%)
- d : 648-811 (10%)



644-205 / 644-207 / 644-208 / 648-802 / 648-804 / 648-809 (WOODCRAFT)



WOODCRAFT
(6 colors random layout with same ratio)

a : 644-205 (16.6%)
b : 644-207 (16.6%)
c : 644-208 (16.6%)
d : 648-802 (16.6%)
e : 648-804 (16.6%)
f : 648-809 (16.6%)



youme Town Kudamatsu


648-801 / 648-802 / 648-805 (WOODCRAFT)



648-807 / 648-808 / 648-810 / 648-811 (WOODCRAFT)



648-801 / 648-813 (WOODCRAFT)




WOODCRAFT
a : 648-801
b : 648-813

Buid-to-order : E Size(Line emboss / Flat surface)
Minimum Order Quantity : Not less than 67 cases
Production lead time : 3 weeks
Product code : 632-103 / 105 / 107 / 109 / 131 / 132

Buid-to-order : A, E, H size(Flat surface)
Minimum order quantity : Not less than 67 cases
Production lead time : 3 weeks
Product code : A size 631-□□□F
E size 632-□□□F
F size 644-□□□F

Colors : 29 colors
Beveling : Round beveling (A size, H size)
Dimensions : A size(Classic / Line emboss)
3.00mmt × 100mm × 914.4mm
H size(Narutal / Flat surface)
3.00mmt × 150mm × 914.4mm
H size(Vintage / Line emboss)
3.00mmt × 150mm × 914.4mm

A size	H size
100×914.4	150×914.4
E size (Build-to-order)	
457.2 × 457.2	



Viento TAKASAKI

TH-1101 / 1110 (MONOSTEIN)


MONOSTEIN

Homogeneous vinyl floor tile with natural stone motif, excellent crack and abrasion resistance.

TH-1101	TH-1114	TH-1111	TH-1102
	TH-1103	TH-1108	TH-1113
TH-1110	TH-1106	TH-1112	TH-1105
TH-1104	TH-1107	TH-1109	

Texture





a : MONOSTEIN TH-1114
b : WOODLINE WBA-344

Combination with heterogeneous
vinyl floor tile (WOODLINE 3.0mmt)

TH-1114 (MONOSTEIN) 、 WBA-344 (WOODLINE)



TH-1103 / 1106 / 1110 / 1113 (MONOSTEIN)



TH-1103 (MONOSTEIN)



TH-1102 / 1105 (MONOSTEIN)、 MQE-118 / 119 (MACKIREINE)

Colors : 14 colors
Beveling : No beveling
Dimensions : E size 3.00mmt × 457.2mm × 457.2mm

E size
457.2
×
457.2



DMT-404 (DENIM FLOOR KT)



DMT-401 / 402 / 403 (DENIM FLOOR KT)



DMT-401 (DENIM FLOOR KT)





DMT-403 (DENIM FLOOR KT)

DENIM FLOOR KT

Expressing denim-like texture in various tones.

Texture



DENIM FLOOR KT

a : DMT-401 (25%)
b : DMT-402 (50%)
c : DMT-403 (25%)

Colors : 4 colors
Beveling : No beveling
Dimensions : E size 3.00mmt × 457.2mm × 457.2mm

E size

457.2
×
457.2



682-901 / 682-902 / 682-903 / 682-904 / 682-907 / 682-909 / 682-916 / 682-923 / 682-927 (DOLCE / Cut into quarter size)

DOLCE

By taking colors in the beauty of the nature into its design, expressing natural texture.

682-901	682-907	682-910	682-916	682-921	682-926	682-927	682-932	682-938	682-944	682-949
682-902	682-908	682-911	682-917	682-922	682-923	682-928	682-933	682-939	682-945	682-950
682-903	682-909	682-912	682-918	682-913	682-929	682-935	682-934	682-940	682-946	682-951
682-904		682-914	682-919	682-924	682-930	682-936	682-937	682-941	682-947	682-952
682-905	682-906	682-915	682-920	682-925	682-931		682-943	682-942	682-948	682-953

Texture



				a		
	f		c		b	
i	h	d	e	g		

- DOLCE**
(The tiles are cut into quarter size)
- a : 682-901
 - b : 682-902
 - c : 682-903
 - d : 682-904
 - e : 682-907
 - f : 682-909
 - g : 682-916
 - h : 682-923
 - i : 682-927

1 Repeat



682-947 (DOLCE)



682-933 (DOLCE)

Colors : 53 colors
Beveling : No beveling
Dimensions : E size 3.00mmt x 457.2mm x 457.2mm

E size	
457.2	x
457.2	



613-327 (NEW SOFTON)、MBE-252 / 255 (MATIL / Cut into 50mm width)



613-303 / 613-316 / 613-317 / 613-328 / 613-331 / 613-334 (NEW SOFTON / Cut)、647-701 (MORTALIKE)

NEW SOFTON

Featuring bright and vivid colors, suitable for various scenes and spaces for its rich and fresh color palette.

613-327	613-301	613-330	613-305	613-309	613-312	613-315	613-319	613-343	613-357
613-329	613-302	613-331	613-306	613-310	613-313	613-316	613-355	613-344	613-347
613-303	613-332	613-333	613-311	613-314	613-317	613-323	613-356	613-359	
613-328	613-307	613-334	613-324	613-340	613-341			613-348	
613-360	613-308	613-353	613-361	613-350	613-362				



a	b				
c					

NEW SOFTON
a : 613-327
MATIL (Cut into 50mm width)
b : MBE-252
c : MBE-255
Combination with heterogeneous vinyl floor tile(MATIL 3.0mmt)

Colors : 42 colors
Beveling : No beveling
Dimensions : E size 3.00mmt × 457.2mm × 457.2mm

E size
457.2
×
457.2




NA-1 / 2 / 3 (NATULINE)
 Wall guard : WBH-607 / 608 / 609 (WOODLINE)
 EBA-1004 / EBB-2004 / EBD-4004 (EDGE BAR)



NA-11 (NATULINE)

NATULINE

Natural and random flow pattern in basic colors.



NATULINE
 a : NA-1
 b : NA-2
 c : NA-3
 Wall guard :
WOODLINE
 WBH-607 / 608 / 609
EDGE BAR
 EBA-1004
 EBB-2004
 EBD-4004

Colors : 15 colors
 Beveling : No beveling
 Dimensions : E size 3.00mmt x 457.2mm x 457.2mm

E size
 457.2
 x
 457.2

Size &
Color tone

MATERIAL-TILE

Tiles with expressive texture, designed with motif of mortar, natural stone, stone pavement, wood, denim etc.

MORTALIKE

TERAHNO

TERAHNO HEXA

WOOD CRAFT


MONOSTEIN

DENIM FLOOR KT

MORTALIKE

6 colors

E size 3.0 mmt × 457.2 mm × 457.2 mm



647-701 647-702 647-703 647-704 647-705 647-706

MONOSTEIN

14 colors

E size 3.0 mmt × 457.2 mm × 457.2 mm




TH-1101 TH-1114 TH-1111 TH-1102
TH-1103 TH-1108 TH-1113
TH-1110 TH-1106 TH-1112 TH-1105
TH-1104 TH-1107 TH-1109

TERAHNO HEXA

8 colors

Regular hexagonal shape 3.0 mmt × 130 mm (each side)



TERAHNO 16 colors

S size 3.0mmt×304.8mm×457.2mm




Q size 3.0mmt×152.4mm×457.2mm



R size 3.0mmt×304.8mm×914.4mm

Build-to-order




T size 3.0mmt×457.2mm×914.4mm

Build-to-order




Size Variation



S : 304.8 × 457.2 (mm)
Q : 152.4 × 457.2 (mm)
R : 304.8 × 914.4 (mm) Build-to-order
T : 457.2 × 914.4 (mm) Build-to-order

WOOD CRAFT 29 colors

Natural H size Flat surface 3.0mmt×150mm×914.4mm




Vintage H size Line emboss 3.0mmt×150mm×914.4mm

Build-to-order Flat surface




Classic A size Line emboss 3.0mmt×100mm×914.4mm

Build-to-order Flat surface




Classic E size 3.0mmt×457.2mm×457.2mm

Build-to-order Line emboss
Build-to-order Flat surface




Size Variation



H : 150×914.4 (mm)
A : 100×914.4 (mm)
E : 457.2×457.2 (mm)

DENIM FLOOR KT 4 colors

E size 3.0mmt×457.2mm×457.2mm



Size &
Color tone

COLOR-TILE

Nature -derived colors- Random color combination through kneading manufacturing process eproduce color transition in the nature and expressive color texture.









DOLCE

NEW SOFTON

NATULINE

DOLCE 53 colors

E size 3.0mm×457.2mm×457.2mm

 682-901			 682-910	 682-916	 682-921	 682-926	 682-932	 682-938	 682-944	 682-949
 682-902	 682-907	 682-911	 682-917	 682-922	 682-927	 682-933	 682-939	 682-945		
 682-903	 682-908	 682-912	 682-918	 682-923	 682-928	 682-934	 682-940	 682-946		
 682-904	 682-909	 682-913				 682-929	 682-935	 682-941	 682-947	 682-952
 682-905			 682-914	 682-919	 682-924	 682-930	 682-936	 682-942	 682-948	 682-953
 682-906			 682-915	 682-920	 682-925	 682-931	 682-937	 682-943		


NEW SOFTON 42 colors

E size 3.0mmt×457.2mm×457.2mm





NATULINE 15 colors

E size 3.0mmt×457.2mm×457.2mm



VINYL COMPOSITION TILE Size Line-Up

Item Name		Dimensions		colors	Packing	Weight	Edge shape
MORTALIKE	E size	 457.2mm	457.2 mm ×457.2 mm 3.0 mm (thickness)	Standard 6 colors	15 pcs / case (approx. 3.14 m ²)	19.6kg / case	 No beveling
	S size	 457.2mm	304.8 mm ×457.2 mm 3.0 mm (thickness)	Standard 16 colors	22 pcs / case (approx. 3.07 m ²)	19.0kg / case	 Round beveling
TERAHNO	Q size	 457.2mm	152.4 mm ×457.2 mm 3.0 mm (thickness)	Standard 16 colors	44 pcs / case (approx. 3.07 m ²)	19.0kg / case	 Round beveling
	R size	 914.4mm	304.8 mm ×914.4 mm 3.0 mm (thickness)	Buid-to-order 16 colors	11 pcs / case (approx. 3.07 m ²)	19.0kg / case	 Round beveling
	T size	 914.4mm	457.2 mm ×914.4 mm 3.0 mm (thickness)	Buid-to-order 16 colors	8 pcs / case (approx. 3.34 m ²)	20.2kg / case	 Round beveling
	X size (HEXA)	 130mm	130 mm (one side) Hexagon 3.0 mm (thickness)	Standard 8 colors Buid-to-order 8 colors	64 pcs / case (approx. 2.81 m ²)	17.5kg / case	 Round beveling
WOOD CRAFT (L)=Line emboss (F)=Flat surface	A size Classic	 914.4mm	100 mm ×914.4 mm 3.0 mm (thickness)	Standard 13 colors(L) Buid-to-order 13 colors(F)	33 pcs / case (approx. 3.02 m ²)	18.2kg / case	 Round beveling
	E size Classic	 457.2mm	457.2 mm ×457.2 mm 3.0 mm (thickness)	Buid-to-order 6 colors(L) Buid-to-order 6 colors(F)	15 pcs / case (approx. 3.14 m ²)	19.7kg / case	 No beveling
	H size Vintage	 914.4mm	150 mm ×914.4 mm 3.0 mm (thickness)	Standard 3 colors(L) Buid-to-order 3 colors(F)	22 pcs / case (approx. 3.02 m ²)	18.7kg / case	 Round beveling
	H size Natural	 914.4mm	150 mm ×914.4 mm 3.0 mm (thickness)	Standard 13 colors(S)	22 pcs / case (approx. 3.02 m ²)	18.7kg / case	 Round beveling
MONOSTEIN	E size	 457.2mm	457.2 mm ×457.2 mm 3.0 mm (thickness)	Standard 14 colors	15 pcs / case (approx. 3.14 m ²)	18.8kg / case	 No beveling
DENIM FLOOR KT	E size	 457.2mm	457.2 mm ×457.2 mm 3.0 mm (thickness)	Standard 4 colors	15 pcs / case (approx. 3.14 m ²)	20.0kg / case	 No beveling
DOLCE	E size	 457.2mm	457.2 mm ×457.2 mm 3.0 mm (thickness)	Standard 53 colors	15 pcs / case (approx. 3.14 m ²)	20.0kg / case	 No beveling
NEW SOFTON	E size	 457.2mm	457.2 mm ×457.2 mm 3.0 mm (thickness)	Standard 42 colors	15 pcs / case (approx. 3.14 m ²)	19.6kg / case	 No beveling
NATULINE	E size	 457.2mm	457.2 mm ×457.2 mm 3.0 mm (thickness)	Standard 15 colors	15 pcs / case (approx. 3.14 m ²)	19.7kg / case	 No beveling

[Build-to-order product] TERAHNO : Not less than 30cases per color, 3 weeks for production lead time, WOODCRAFT : Not less than 70cases per color, 3 weeks for production lead time

Antifouling

Heavy Commercial Use

Super Heavy Commercial Use
(MONOSTEIN)

JIS
(E size)





Made with Recycled Vinyl

Factory-based Recycling

Long Lasting Product

Low VOCs

*MORTALIKE is not applicable for antifouling mark.
*MONOSTEIN is classified in super heavy commercial use.
*DENIM FLOOR KT is not applicable for Floor Score Mark and JIS mark.

Material Classification (Based on JIS)

Composition Vinyl Floor Tile KT	MORTALIKE / TERAHNO / WOODCRAFT / DENIM FLOOR KT / DOLCE / NEW SOFTON / NATULINE
Homogeneous Vinyl Floor Tile TT	MONOSTEIN

Installation method

■ MORTALIKE / TERAHNO / WOODCRAFT / DENIM FLOOR KT / DOLCE / NEW SOFTON / NATULINE		
Installation method	Subfloor	Adhesive
General Installation	Cement / Mortar / Concrete	Cement KT / Cement AK-S / Cement AK
Water resistant installaion		Cement UI0 / Cement EP20

■ MONOSTEIN		
Installation method	Subfloor	Adhesive
General Installation	Cement / Mortar / Concrete	Cement KT / Cement AK-S / Cement AK
Water resistant installaion		Cement UI0 / Cement EP20

*Please use Cement UI0 for water-resistant plywood subfloor.
*Low temperature method" is recommended when the temperature is under 5-15°C.
*Dimensional adjustment may be necessary at installation site if different products and sizes are combined.
*Please note that some rubber products may cause color contamination.
Regarding TERAHNO HEXA
*Generally more labor is necessary for the installation due to its special shape.
*Due to the unique shape, some variation in dimensions may occur.
*The finish of the joints differs from general Vinyl Composition Tile. And please pay careful attention so that the tile does not slip out of position during the installation.
*For more information regarding the installation, please contact to your local distributor or our Tajima International division. "Installation Guide" is available as complementary document.

Maintenance

- For daily maintenance, please remove dust and dirt well and wipe with a tightly squeezed mop. (At least once a day.)
- Please perform wax maintenance on a regular basis to keep the floors beautiful and clean.
- Maintenance manual is available and please contact to your local distributor or our Tajima International division.



▼ Please check our web site as follows.

<https://tajima.jp>



To be more familiar and correspond to customer's need.
Having started with our symbolical product "P TILE",
firstly produced 1953, TAJIMA's Tile Line-up has taken a
new step forward and we will keep proceeding.

[Product used in the front page photo]
647-703(MORTALIKE) WBR-629(WOODLINE)